Donee Sale

TFE Lab 1

TFE Lab 2

Pressure Reaction Vessel

Mass Flow Controller

High Precision Syringe Pump System

Nealab ULT-80 Circulator

$50,000

Contact Pete McGhee

803-896-6880

FRIEDRICH
SUPERIOR
U.S. CHEMICAL
STORAGE

SUPERIOR
U.S. CHEMICAL
STORAGE

SUPERloc™
U.S. CHEMICAL
storage®
1-800-233-1480
www.uschemicalstorage.com
HEALTH HAZARD
4 Deadly
3 Extreme danger
2 Hazardous
1 Slightly hazardous
0 Normal material
FIRE HAZARD
Flash Points
4 Below 73°F (Boiling pt. below 100°F)
3 Below 73°F (Boiling pt. at/above 100°F) and/or at/above 73°F - not exceeding 100°F
2 Above 100°F, Not exceeding 200°F
1 Above 200°F
0 Will not burn
SPECIFIC HAZARD
Oxidizer OX
Use NO WATER W
Simple Asphyxiant SA
INSTABILITY
4 May detonate
3 Shock and heat may detonate
2 Violent chemical change
1 Unstable if heated
0 Stable

U.S. EXPLOSIVE
MAGloc

U.S. EXPLOSIVE
storage®
1-877-233-1481
www.usexplosive.com
MAGloc™

CAUTION
SCIENTIFIC

NESLAB ULT 80
Bath Circulator

PARR INSTRUMENT CO.
NESLAB ULT 80
Bath Circulator

TELEDYNE ISCO
D-SERIES
PUMP CONTROLLER
A
B
C
D
ON
STANDBY
PROG CHART
STORE
RECALL
CLEAR VOLUME
HOLD
RUN
ENTER
7
8
9
CONST PRESS
LIMITS
ACC CTRL
MENU
REFILL
STOP
4
5
6
CONST FLOW
RAPID PRESS
ZERO PRESS
DISP
0
1
2
3

TELEDYNE ISCO
D-SERIES
PUMP CONTROLLER
ON
STANDBY
A
B
C
D
HOLD
RUN
REFILL
STOP
ENTER
DISP
POWER
ON
OFF
TELEDYNE ISCO
MODEL 100DM
SYRINGE PUMP
KOBALT

FLOW CONTROLLER PIN-OUT H
1
9
15
8
5. SIGNAL COMMON
6. SIGNAL OUTPUT
7. CASE GROUND
8. CONTROL OVER-RIDE
9. -15 VDC
SPAN
+15 VDC
RETURN
ZERO
See manual for
pin information.
800 950-2468
Made in USA of U.S. and Imported
www.teledyne-hi.com
HFC-202 S/N: 6740900001
STP : 0°C & 760 Torr
Cal.Date/By: 02/6/17 :RK

TELEDYNE
HASTINGS
FLOW
CALIBRATION
VOID
IF SEAL
DAMAGED

TELEDYNE
OPEN
AUTO
CLOSE
CHANNEL 1
CHANNEL 2
CHANNEL 3
CHANNEL 4
OPEN
CLOSE
1 2 3 MODE
4 5 6
7 8 9
0 . ESC ENTER
4 CHANNEL
HPS-400
HASTINGS
TELEDYNE ISCO